


M12 Steel female 0° A-cod. with cable


TPE-S 4x0.34 gy 5m


F&B-Steel Female straight M12, 4-pole with cable sleeves Further cable lengths on request.


Link to Product

Illustration









Product may differ from Image

Cable length	5 m
Side 1	
Tightening torque	0,6 Nm
Family construction form	M12
Thread	M12 x 1
Coding	A
Width across flats	SW13
Degree of protection (EN IEC 60529)	IP68, IP69K
Commercial data	

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-04



stay connected

07070040
27279218
27279218
27279218
27279218
27060311
27060311
27060311
27060311
EC001855
85444290
4048879107761
1
32 V
32 V
4 A
inserted, screwed
3
2,5 kV
Stainless steel 1.4404 (V4A)
Otaliless steel 1.4404 (V4A)
inserted, screwed, Shaking protection
-40 °C
85 °C
65 6
depending on cable quality
depending on cable quality
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray
Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S 80 ± 5 Shore A
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S 80 ± 5 Shore A 5,2 mm ± 5 %
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S 80 ± 5 Shore A 5,2 mm ± 5 % TPE-S
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S 80 ± 5 Shore A 5,2 mm ± 5 % TPE-S
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S 80 ± 5 Shore A 5,2 mm ± 5 % TPE-S 4 1,5 mm
Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S 80 ± 5 Shore A 5,2 mm ± 5 % TPE-S 4 1,5 mm ± 5 %
depending on cable quality Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S 80 ± 5 Shore A 5,2 mm ± 5 % TPE-S 4 1,5 mm ± 5 % 90 ± 5 Shore A
Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties. Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. 336 gray 1 4 wires twisted brown, white, blue, black 43,01 g/m TPE-S 80 ± 5 Shore A 5,2 mm ± 5 % TPE-S 4 1,5 mm ± 5 %



Diameter of single wires	0,05 mm
Conductor crosssection (wire)	0,34 mm²
Material conductor wire	Stranded copper wire, bare
Conductor type (wire)	strand class 6
Current load capacity (standard)	to DIN VDE 0298-4
Current load capacity min. wire	4,8 A
Electrical resistance line constant wire	57 Ω/km @ 20 °C
AC withstand voltage (wire - wire)	2,5 kV @ 60 s
Power frequency withstand voltage (wire - jacket)	2,5 kV @ 60 s
Min. operating temperature (static)	-50 °C
Max. operating temperature (fixed)	125 °C
Operating temperature min. (dynamic)	-30 °C
Operating temperature max. (dynamic)	105 °C
Flame resistance	UL 1581 § 1100 FT2 UL 1581 § 1090 IEC 60332-2-2
chemical resistance	Good, application-related testing
Gasoline resistance	Good, application-related testing
Oil resistance	DIN EN 60811-404 Good, application-related testing
Bending radius (fixed)	10 x Outer diameter
Bending radius (dynamic)	15 x Outer diameter